

Huawei 9306 Core Switch Port Aggregation



Overview

The S9306 provides a robust modular platform for high-density 10G and 40G aggregation. Key technical highlights include: Modular Design: 6 service slots with a total switching capacity of 3.84 Tbps and a forwarding rate of 2880 Mpps Huawei Scribd. When the chassis has no cable management frame installed, the dimensions (H x W x D) are 441. Figure 4-12 and . : Access product manuals, HedEx documents, product images and visio stencils. 84Tbps switching capacity and 2,880Mpps packet forwarding, it supports advanced IPv4/IPv6 routing, MPLS VPN, and rich multicast for converged data, voice, and video. S9306 is one of the S9300 series switches(S9300 for short). However, current market analysis indicates that this series has reached the end of its official lifecycle, with End of Support (EOS). Hua wei S Series Switches fully accommodate metro core, aggregation, edge aggregation, and access networking requirements, and are capable of building an integrated Metropolitan Area Network (MAN) Interconnection Solution. Hua wei S9300 series (S9300 for short) terabit routing switches are high-end.



Article Content

Sep 29, 2025

Huawei S6730 Switch – 10GE Aggregation & Core Switches

The Huawei S6730-H Switch series answers with high-density 10 GE access, robust Layer-3 capabilities, VXLAN

Aug 29, 2025

Example for Configuring Link Aggregation in LACP Mode

S1720, S2700, S5700, and S6720 V200R011C10 Configuration Guide - Ethernet Switching This document describes the

Dec 04, 2025

Load Balancing Modes of Link Aggregation

This document describes the configuration of Ethernet services, including configuring link aggregation, VLANs, Voice VLAN, VLAN

May 18, 2026

Huawei S9306 Switch Guide: Specs, EOS Date & Modern Replacements

Replacement Strategy: Huawei recommends migrating to the CloudEngine S12700E series for core campus networks or the S7706

May 15, 2026

Huawei LE0KS9306 S9306 Switch Chassis 6 Slots No

High switching capacity, MPLS VPN, and advanced QoS make it ideal as a data center core or

Aug 08, 2025

S9300 Series S9306 / S9306 Poe Switches Support VPN Firewall ...

All S9300 models use interchangeable modules and components for inexpensive switching capacity and port expansion. In addition,

Oct 23, 2025

Link Aggregation: Static vs Dynamic, LACP, and MLAG

Understand how link aggregation (LACP, MLAG, static vs dynamic) improves bandwidth

Jan 10, 2026

Load Balancing Modes of Link Aggregation

Load Balancing Modes You can set the load balancing mode based on traffic models. When a parameter of traffic changes

Sep 04, 2025

Installing S9306 and S9306E Chassis

If a fully configured chassis is delivered, remove cards and power modules before the installation. Install them after the chassis is

Dec 10, 2025

Standalone AC Solution: Aggregation Switches Function as Gateways

Core switches set up a CSS that functions as the core of the entire campus network to implement high network reliability and

Jul 23, 2026

Huawei Link Aggregation Configuration | Huawei LAG Config ★

Let's start with Huawei Layer 2 Link Aggregation. For this example, we will use the below topology consist of two switches and three

Aug 01, 2025

Configuring the Core Switch to Connect to the Passive Aggregation ...

Deployment Process Installation Deployment Using iMaster NCE-Campus Configuring Core Switch Stacking

Jun 13, 2026

Core, Aggregation, or Access Switches? Choose the

Discover the crucial differences between core, aggregation, and access switches. Find out

Aug 13, 2025

Huawei S9300 Switch Product Brochures

The S9300 switches function as high-density 10G core and aggregation nodes in large-scale data centers, helping enterprises build

Apr 12, 2026

Example for Configuring Link Aggregation in LACP Mode When Switches

Example for Configuring Link Aggregation in LACP Mode When Switches Are Directly Connected Overview Ethernet link aggregation

Apr 05, 2026

Overcoming Network Bottlenecks: Enterprise Configuration Manual for ...

Eth-Trunk, Huawei's implementation of the IEEE 802.3ad (now IEEE 802.1AX) standard for link aggregation, allows network

Aug 02, 2025

Link Aggregation Configuration

S1720, S2700, S5700, and S6720 V200R011C10 Configuration Guide - Ethernet Switching This document describes the

Dec 02, 2025

Configuring Link Aggregation in LACP Mode

Configure Link Aggregation in LACP Mode on the Huawei CX320 Switch Module to increase bandwidth and improve

Sep 14, 2025

LE0KS9306 Datasheet Overview

S9306 is one of the S9300 series switches(S9300 for short). And the LE0KS9306 is the Huawei S9306 Assembly Chassis. The

Oct 29, 2025

S9300 and S9300E Series Switches Hardware Description

If the switch is running V200R012C00 or a later version, it allows combining the use of 2200 W AC, 2200 W DC, 3000 W DC, and

Jan 08, 2026

Configuring Aggregation and Access Switches to Be Managed by the ...

Configuring Aggregation and Access Switches to Be Managed by the Controller Configuration Roadmap Aggregation

Jun 04, 2026

Huawei S9306 LAN Switch Overview

The document discusses the Huawei S9300 Ethernet switch, including: - It has large capacity and high performance as an access

Jan 29, 2026

Configuring Aggregation and Access Switches to Be Managed by the ...

In such a scenario, if the Eth-Trunks between the core, aggregation, and access switches still need to be set up in

May 06, 2026

Huawei S9306 LE0BS9306P1 Chassis 6 Slots PoE, No PSU

Deploy Huawei S9306 LE0BS9306P1 PoE chassis with 6 slots for scalable campus or aggregation switching. Order by part number

Dec 29, 2025

Aggregation Switch: Increasing the Priority of Special Traffic

Aggregation Switch: Increasing the Priority of Special Traffic Networking Requirements Core switches set up a CSS that functions as

May 07, 2026

Configuring the Core Switch to Connect to the Passive Aggregation ...

Context This section uses the following networking as an example: two stacked PEN central switches, backup for the passive

Nov 29, 2025

S9306 and S9312 Clustering Using CSS Cards

To connect the stack ports with optical fibers, install optical modules on the stack ports, and then connect optical fibers to the optical

Jul 22, 2026

LACP Link Aggregation Interworking or Replacement Guidance ...

The Link Aggregation Control Protocol (LACP) is a public protocol and LACP Data Units (LACPDUs) are the same, so Huawei

Dec 11, 2025

Huawei S9306 Switches Support Guide, Manuals & PDF – Huawei

: Access product manuals, HedEx documents, product images and visio stencils.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://iiss.co.za>

Email: sales@iiss.co.za

Phone: +27 63 174 2895

Address: Unit 8, Innovation Park, 15 Rivonia Road, Sandton, Johannesburg,
2196, South Africa

This document is for informational purposes only. Specifications subject to
change without notice.

