

What quota should be used for laying pigtail sleeves

Overview

Adults: Trauma carts should be stocked with 28Fr, 24Fr, 20Fr standard chest tubes and 14Fr pigtail catheter kits. Chest tubes allow for drainage of fluid and air from the thoracic cavity. Proper re-expansion of the lungs permits adequate. Chest tube insertion is a common therapeutic procedure used to provide evacuation of abnormal collections of air or fluid from the pleural space. Tube thoracostomy may be indicated for pleural effusions associated with malignancy, infection, or hemothorax in the post-surgical setting. Pediatrics: PALS carts should be stocked. However, in recent years, guidelines and statements from American College of Chest Physicians (ACCP) and British Thoracic Society (BTS) stress the value of observation, repeat imaging and prompt follow-up for stable, asymptomatic patients with no underlying lung disease or trauma. An ACCP consensus. Our Medical A. Pigtail catheter procedures should be performed using strict aseptic technique with appropriate imaging guidance. What are the best methods for prolonged pleural space drainage?

For the correct application of a pigtail catheter for pleural effusion, enter the rib space slightly above the rib below, to avoid major neurovascular bundles running underneath the rib, and collaterals running above the rib.



Article Content

Sep 20, 2025

Percutaneous Nephrostomy Drainage Set

This device is intended for use by physicians trained and experienced in diagnostic and interventional techniques, standard techniques for placement of percutaneous drainage catheters should be ...

Jan 26, 2026

Pigtails for Pleural Problems (Percutaneous Thoracostomy)

Pigtails should replace chest tubes for most pneumothoraces and pleural effusions requiring drainage. In this episode, I discuss points on use and placement. The next post will be a ...

Feb 20, 2026

Pigtail Insertion | Emergency Physicians Monthly

You should feel the dilator “give way” once you are in. Check that the guide wire is moving freely in and out of the dilator throughout this process to avoid kinking the wire. Pass the ...

Sep 25, 2025

Chest Tube (Pigtail) Insertion and Removal | Froedtert & MCW

Patient should receive an appropriate weight-based dose of cefazolin (or equivalent) prior to chest tube insertion. Unless chest tube is being placed emergently for a patient in extremis, the ...

Jun 04, 2026

Chest tube insertion – Pigtail | Department of Emergency Medicine ...

Adults: Trauma carts should be stocked with 28Fr, 24Fr, 20Fr standard chest tubes and 14Fr pigtail catheter kits. It is recommended that we discontinue stocking larger sized chest tubes (32Fr, 36Fr) ...

Nov 03, 2025

Pigtails for Pleural Problems (Percutaneous ...

Pigtails should replace chest tubes for most pneumothoraces and pleural effusions requiring drainage. In this episode, I discuss points on use and ...

Aug 08, 2025

Mastering the Percutaneous Pigtail Thoracostomy Catheter ...

Pigtail catheters are successfully used for the management of air or fluid in the pleural cavity. They differ from traditional chest tubes with respect to their smaller bore and flexibility leading ...

Jan 28, 2026

Mastering the Percutaneous Pigtail Thoracostomy Catheter ...

Catheter-based thoracostomy using “pigtail catheters” has become a ubiquitous procedure for the management of pleural effusion or pneumothorax in many patient populations.

Jul 06, 2026

Microsoft Word

Use serial chest auscultation, chest radiographs, volume of blood loss, and amount of air leakage to assess the functioning of the chest tube. If a chest tube becomes blocked, it usually may be replaced ...

Jul 06, 2026

What are the considerations and guidelines for performing a pigtail ...

By following these guidelines and using appropriate imaging guidance, pigtail catheter procedures can be performed safely and effectively with minimal complications.

Oct 16, 2025

Pigtail Catheter Insertion for Pleural Drainage: A Safe Alternative

For the correct application of a pigtail catheter for pleural effusion, enter the rib space slightly above the rib below, to avoid major neurovascular bundles running underneath the rib, and ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://iiss.co.za>

Email: sales@iiss.co.za

Phone: +27 63 174 2895

Address: Unit 8, Innovation Park, 15 Rivonia Road, Sandton, Johannesburg,
2196, South Africa

This document is for informational purposes only. Specifications subject to
change without notice.

